

FIG. 1





FIG. 2



Yoshifumi SATO
 DISPLAY DEVICE
 December 14, 2005
 Darryl Mexic
 Q91628
 2 of 14

202-293-7060

FIG. 3

3

CE EQUIPMENT EDID				
DISPLAY DEVICE RESOLUTION	SCAN-SIGNAL-RELATED INFORMATION	FRAME RATE	MAKER IDENTIFIER	DISPLAY DEVICE IDENTIFIER

FIG. 4

4

PC EQUIPMENT EDID				
DISPLAY DEVICE RESOLUTION	SCAN-SIGNAL-RELATED INFORMATION	FRAME RATE	MAKER IDENTIFIER	DISPLAY DEVICE IDENTIFIER

FIG. 5


MEMORY SECTION FOR
CE EQUIPMENT EDIDMEMORY SECTION
FOR PC EQUIPMENT EDID

FIG. 6




FIG. 7




FIG. 8

PC INPUT SELECTION PROCESSING




FIG. 9

VIDEO INPUT SELECTION PROCESSING




FIG. 10




FIG. 11
VIDEO INPUT SELECTION PROCESSING




FIG. 12




FIG. 13




FIG. 14

RGB BUTTON-PRESSED PROCESSING




FIG. 15 VIDEO BUTTON-PRESSED PROCESSING




FIG. 16




FIG. 17

